UNCLASSIFIED

AD NUMBER AD401265 NEW LIMITATION CHANGE TO Approved for public release, distribution unlimited **FROM** Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 08 SEP 1962. Other requests shall be referred to US Library of Congress, Attn: Aerospace Technology Division, Washington, DC. **AUTHORITY** ATD per ltr, 2 Dec 1965

G/030/62/002/012/001/006 D230/D308

AUTHORS:

Balarin. M. and Zetzsche, A.

TITLE:

Determination of the activation energy for the mobility of lattice defects due to uniform heating

PERIODICAL:

Physica status solidi, v. 2; no. 12, 1962,

A new method, based on the kinetic equations for TEXT: monomolecular reaction, is proposed for the evaluation of experimental annealing curves and, in particular, for the calculation of the activation energy required for the movement of lattice distortions. The accuracy attainable with this method is greater than with others and the procedure lends itself well to computer work. It is shown that only one annealing curve is required in order to determine the activation energy and the frequency factor. the dispersion of the measured data, which in every real case is evaluated by the method of least squares, an estimate of the error is obtained. Numerical calculations are used in preference to graphical methods when a complete family of curves is available.

G/030/62/002/012/001/006 Determination of the activation ... D230/D308

When a number of annealing processes overlap, their asymptotic behavior should be investigated individually. In certain circumstances the low-temperature process should be discontinued in favor of pre-annealing, in order to investigate fully the high-temperature method first. There are 5 figures and 8 tables.

ASSOCIATION:

Zentralinstitut für Kernphysik, Bereich Werkstoffe und Festkörper, Rossendorf bei Dresden (Central Institute for Nuclear Physics, Department of Materials and Solids, Rossendorf near Dresden)

SUBMITTED:

September 8, 1962